

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/898,068	07/05/2001	Mutsuyoshi Ito	SON-2158	1305
23353 75	590 09/21/2004		EXAM	INER
RADER FISHMAN & GRAUER PLLC			GRAYBILL, DAVID E	
LION BUILDING 1233 20TH STREET N.W., SUITE 501 WASHINGTON, DC 20036			ART UNIT	PAPER NUMBER
			2822	
		•	DATE MAILED: 09/21/200	4

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

_ <i>09898068</i>			F
APPLICATION NO./	FILING DATE	FIRST NAMED INVENTOR /	ATTORNEY DOCKET NO
CONTROL NO.		PATENT IN REEXAMINATION	

EXAMINER

ART UNIT PAPER

654

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

See attached Office action.

David E Graybill Primary Examiner Art Unit: 2822 Application/Control Number: 09/898,068 Page 2

Art Unit: 2827

The amendment to the specification filed on 6-14-4 does not comply with the requirements of 37 CFR 1.121(c) because the replacement section is without markings to show all changes relative to the previous version of the section. Amendments to the specification filed on or after July 30, 2003 must comply with 37 CFR 1.121(b)(2)(ii) which states:

- (b) Specification . Amendments to the specification, other than the claims, computer listings (\S 1.96) and sequence listings (\S 1.825), must be made by adding, deleting or replacing a paragraph, by replacing a section, or by a substitute specification, in the manner specified in this section.
- (2) Amendment by replacement section . If the sections of the specification contain section headings as provided in § 1.77(b), § 1.154(b), or § 1.163(c), amendments to the specification, other than the claims, may be made by submitting:
- (ii) A replacement section with markings to show all changes relative to the previous version of the section. The text of any added subject matter must be shown by underlining the added text. The text of any deleted matter must be shown by strike-through except that double brackets placed before and after the deleted characters may be used to show deletion of five or fewer consecutive characters. The text of any deleted subject matter must be shown by being placed within double brackets if strike- through cannot be easily perceived.

Since the reply filed on 6-14-4 appears to be *bona fide*, applicant is given a TIME PERIOD of **ONE (1) MONTH** or **THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to submit an amendment in compliance with 37 CFR 1.121 in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

For information on the status of this application applicant should check PAIR: Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 09/898,068 Page 3

Art Unit: 2827

Alternatively, applicant may contact the File Information Unit at (703) 308-2733. Telephone status inquiries should not be directed to the examiner. See MPEP 1730VIC, MPEP 203.08 and MPEP 102.

Any other telephone inquiry concerning this communication or earlier communications from the examiner should be directed to David E. Graybill at (571) 272-1930. Regular office hours: Monday through Friday, 8:30 a.m. to 6:00 p.m.

The fax phone number for group 2800 is (703) 872-9306.

David E. Graybill Primary Examiner Art Unit 2827

D.G. 3-Sep-04